

BARTKUS, T.I. (Vil'nyus); GIKIS, I.I. (Vil'nyus); LAPIYENIS, F.P.  
[Lapienis, F.] (Vil'nyus); LUKOSHEVICHYUS, S.K. [Lukosevicius,  
S.] (Vil'nyus); MESHCHEYAKOV, V.V. (Vil'nyus); TEL'KSNIS, L.A.  
(Vil'nyus)

Specialized electronic computer for correlation and spectral  
analysis of video and magnetic recordings of random processes.  
Avtom. i telem. 24 no.6:850-855 Je '63. (MIRA 16:7)

(Electronic computers)  
(Perceptrons)  
(Information theory)

L 16062-56 EWT(a)/T/EWP(1) IJP(c) 88/3G  
ACC NR: AP6002399 (A) SOURCE CODE: UR/0103/65/026/012/2170/2175

AUTHOR: Tel'ksnis, L. A. (Vilnius)

ORG: None

TITLE: Multistage pattern recognition systems

SOURCE: Avtomatika i telemekhanika, v. 26, no. 12, 1965, 2170-2175

TOPIC TAGS: pattern recognition, recognition process

ABSTRACT: To reduce the amount of data in pattern recognitions a limited number of recognition signs is introduced. The recognition task is even then very complex, and the author proposes a simplification of procedures by introducing pattern recognition stages each of which eliminates unsatisfactory objects and transfers to the next stage only those data warranting a closer, more complex scrutiny. The operation of such a multistage pattern recognition system is discussed in the example of a two-stage system for which the author derives expressions for the probability of correct recognition (for individual stages), cost of pattern recognition, etc.. The results show that such multistage systems are more efficient than their single-stage counterparts. Orig. art. has: 18 formulas.

SUB CODE: 06,09,12 / SUBM DATE: 20May65 / ORIG REF: 001

UDC: 621.391.193

Card 1/1

53

6

ACC NR: AR6035572

SOURCE CODE: UR/0044/66/000/009/V046/V046

AUTHOR: Tel'ksnis, L. A.

TITLE: Evaluating the effectiveness of image parameters

SOURCE: Ref. zh. Matematika, Abs. 9V312

REF SOURCE: Sb. Avtomatika i vychisl. tekhn. Vil'nyus, 1965, 11-14

TOPIC TAGS: parameter, Euclidean space, image parameter

ABSTRACT: Methods are proposed for assessing the effectiveness of systems of Y parameters, derived by transformations from the initial data X, represented by vectors of the R-dimensional Euclidean space. The methods are based on determining the space  $d^{ij}$  between random mean values i and j of a class of patterns  $(i \neq j = 1, \dots, m; i \neq j)$ . Standardization of spaces is analyzed, with allowance for the dispersion of parameters and the cost of obtaining them. The measure of quality of the system of parameters is given by the mean Q-factor

$$a = \frac{2}{m(m-1)} \sum_{i=1, i \neq j}^m d^{ij}$$

and the mean nonuniformity of the quality factor of parameters

Card 1/2

UDC: 51:681.14:155

ACC NR: AR6035572

$$b = \left[ \frac{2}{m(m-1)} \sum_{l=1, l>1}^m (\gamma^l)^2 \right]^{\frac{1}{2}}$$

where  $\gamma^l = 0$  at  $a < d^l$  and  $\gamma^l = a - d^l$  at  $a > d^l$ .  
Bibliography has 2 titles. [Translation of abstract]

[NT]

SUB CODE: 12/

rd 2/2

TELL, H.

Data on the parasitofauna of the fishes of Vortsjarv. p. 221.

HUDROBIOLOGILISED UUREMUS ED. HIDROBIOLOGICHESKIE ISSLEDOVANIA.  
Tartu. Hungary. No. 1, 1958.

Monthly List of East European Accessions (EEAI) LC, vol. 8, no. 11  
November 1959.

Uncl.

TELL', KH. I.,

"Parasitic Fauna of the Fishes of the Vyrts'yary Lake." (Dissertation for Degree of Candidate of Biological Science) Acad Sci Estonian SSR, Inst of Zoology and Botany, Tartu, 1955

SO: M-1036 28 Mar 56

TELL!, V.I., inzh.

Concerning V.V.Zhuravlev's article "Methods for designing lightning protection systems." Elek. sta. 36 no.8:86 Ag '65.

(MIRA 18:8)

TELLER, E. VOZENILEK, V.

Economical cleaning of water pipelines. p. 110.

British experiences with water treatment in tropical areas. p. 112.

(Voda. Vol. 36, no. 4, Apr. 1957. Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 10, October 1957. Uncl.


AUTHOR TELLER E. PA - 2897  
TITLE The General Problems of Controlable Thermonuclear  
Reaction. (Obshchiye problemy upravlyayemoy termoyadernoy  
reaktsii.- Russian)  
PERIODICAL Uspekhi Fiz. Nauk 1957, Vol 61, Nr 3, pp 331 - 340 (USSR)  
Received: 5/1957 Reviewed: 6/1957  
ABSTRACT The generation of energy in the stars: The energy dis-  
charged in the volume unit must be proportional to the  
square of the density of the nuclei participating in the  
reaction. The entire secret of cosmic thermonuclear  
reactions is based on the existence of a strong and heavy  
cover. Similar and even better fuel than in the stars is  
available at laboratories, but it is not possible to dam  
this fuel sufficiently.  
The energy yield and the energy losses at high temperatures:  
A temperature of at least some keV must be attained.  
In a successfully working thermonuclear plant the energy  
discharges from nuclear reactions and transmitted to the  
reacting gas must at least be just as high as the radiated  
energy.

CARD 1/3

PA - 2897

The General Problems of Controllable Thermonuclear Reaction.

The thermonuclear fuel: Materials must be selected in which the energy is liberated at temperatures that are as low as possible and radiate as little as possible. Isotopes of hydrogen are best suited. Two reactions are possible:



The first reaction is somewhat slower, but the second is very fast. For the second reaction temperatures of some keV are sufficient, but for pure deuterium about the ten-fold temperature is necessary.

The problem of insulation: Insulation of the fuel from the walls of the container by a magnetic field would be the solution of the problem. The author then discusses hydromagnetic systems,

The advantages of thermonuclear plants (compared to reactors based on nuclear fission): Thermonuclear fuels

CARD 2/3

The General Problems of Controlable Thermonuclear Reaction.

PA - 2897

are practically inexhaustible. The fuel deuterium requires no regeneration. The author also points to the possibility of the direct production of electricity from nuclear energy without heat.  
(No Illustrations)

ASSOCIATION: not given-

SUBMITTED: -

PRESENTED BY: -

AVAILABLE: Library of Congress.

CARD 3/3

TELLER, E.; GOMOLCAK, L. [translator]

General problems of the controlled thermonuclear reaction. Jaderná  
energie 3 no.9:284-287 S '57.

TELLER, Lech

Remains of the Monograptus hercynicus from the Zdanow beds of the  
Bardo Mountain Range in the Sudeten. Acta geol pol 10 no.3;325-338  
'60.  
(EEAF 10:6)

1. Laboratory of the Palaeozoic and the Mesozoic Institute of  
Geology, Polish Academy of Sciences.  
(Monograptus) (Sudeten)

TELLER, Lech

Revision of the Silurian stratigraphy from the Leba  
borehole. Przegl geol 10 no.11:595-597 N '62.

1. Zaklad Nauk Geologicznych, Polska Akademia Nauk,  
Warszawa.

KOREJWO, Krystyna; TELLER, Lech

Upper Silurian nongraptolite fauna from the Chelm borehole  
(Eastern Poland). Acta geol Pol 14 no.2:233-301 '64.

1. Stratigraphic Laboratory, Institute of Geologic  
Sciences, Polish Academy of Sciences, Warsaw.

TELLER, Lech

On the stratigraphy of beds younger than Ludlovian and the  
Silurian-Devonian boundary in Poland and Europe. Acta geol  
Pol 14 no.2:303-320 '64.

1. Stratigraphic Laboratory, Institute of Geologic  
Sciences, Polish Academy of Sciences, Warsaw.

TELLERI, Maria

For a more successful technical documentation. Musz elet 15 no.9:6  
Ap '60. (EEAI 9:8)  
(Hungary--Technology)

L 31725-66 EWP(k)/EWP(t)/ETI JD

ACC NR: AP6021200

SOURCE CODE: RU/0017/65/000/008/0428/0430

AUTHOR: Munteanu, P. (Engineer); Telli, I.

28  
B

ORG: "Otelul Rosu" Works (Uzinele "Otelul Rosu")

TITLE: Calibration checking in the manufacture of thin sheets

SOURCE: Metalurgia, no. 8, 1965, 428-430

TOPIC TAGS: metal rolling, sheet metal

ABSTRACT: On the basis of the calculations presented, the authors conclude that rolling mills producing 0.5 to 4 millimeter thick sheets can obtain higher productivity by reducing the number of passes; they also calculate that oxidation losses will be lowered and the quality of the pickled surfaces improved if the initial temperature for the rolling is lowered from 1,000 to 900 degrees centigrade. Orig. art. has: 2 tables. [JPRS]

SUB CODE: 13 / SUBM DATE: none / ORIG REF: 001 / OTH REF: 001  
SOV REF: 001

Card 1/1 JRS

UDC: 621.771.24

TELL'KHEL'M, Erikh, Cand Agr Sci -- (miss)"Study and selection  
use of western European varieties of winter wheat under con-  
ditions of Leningradskaya oblast." Len-Pushkin, 1959, 17 pp  
(Min of Agr RSFSR. Len Agr Inst) 100 copies (KL, 20-59, 129)

- 89 -

SIDOROVA, N.G.; TALLY, V.Yu.

Condensation of 4-cyclohexylcyclohexanol with benzene in the  
presence of aluminum chloride. Dokl.AN Uz.SSR no.12:43-45  
'58. (MIRA 12:1)

1. Sredneaziatskiy gosudarstvenny universitet im. V.I.Lenina.  
Predstavлено членом-корреспондентом AN UzSSR I.P.TSukezvanikom.  
(Cyclohexanol) (Benzene) (Condensation products (Chemistry))

SIDOROVA, N.G.; TELLY, V.Yu.

Cycloalkylation of aromatic compounds. Part 18: Reaction of  
benzene with 4-cyclohexanol. Zhur. ob. khim. 31 no.7:2149-2155  
Jl '61. (MIRA 14:7)  
(Cyclohexanol) (Benzene)

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

TSI 'MAI', I.

34064. Segodnya v Bronkovom. (O kolkhoze im. Kaliagina ocherk). Sob. Ukraina, ., 1949,  
s. 65-76

SO: Knizhnaya, Letopis', Vol. 7, 1955

VISOTSKIY, V.[Vysots'kyi, V.]; KVETNYY, N. [Kvetnyi, N.];  
KOLESNICHENKO, V.[Kolismychenko, V.]; PANASENKO, M.;  
TEL'MAN, I. I. LYUTVORT, G.[Liutvort, H.], glav. red.;  
KHOMENKO, B.V., red.

[Vinnitsa; a guidebook] Vinnytsia; putivnyk. L'viv,  
Vinnyts'ke obl. kryzhkovo-gazetno vyd-vo, 1961. 121 p.  
(MIRA 18:5)

USOVA, Mariya Mikhaylovna; TEL'MAN, I.M., red.; ONOSHKO, N.G.,  
tekhn. red.

[Closed injuries of the clavicle] Zakrytye povreshdeniya  
kliuchitsy. Leningrad, Medgiz, 1963. 103 p. (MIRA 16:10)  
(CLAVICLE—FRACTURE)

Abs Jour : Rof Zhur - Biol., No 6, 1958, No 25787

Author : Tel'man P.N.  
Inst : Not Given  
Title : The Control of Harmful Entomological Bark Funa in Forest Maintenance by Felling as a Method of Increasing Pine Tree Productivity. (Bor'br s vrednoy podkorko voy entomofruney motodem rubok ukhodc zr lesom krk zvono v povyshonii proizvoditel'nosti sosnovykh drovostoyov).

Orig Pub : Tr. Leningrad. Lesotekhnich. skad., 1956, vyp 73, 117-131

Abstract : The possibility of the existence of bark insects was determined by the degree of variation in the trees' viability which was a result of various growth conditions. In forest maintenance, trees were cut down to decrease the degree of this variation. In felling it was necessary to leave certain trees securing improvement in their living conditions and uniform distribution in the territory. The uncut trees were first of all those in the first planning stage and the most identical

• 1/2

USSR/General and Special Zoology. Insects

P

Abs Jour : Ref Zhur - Biol., No 6, 1958, No 25787

in locality, degree of crown development, height and diameter. The trees which were felled were trees: 1) found under a canopy of uncut trees, 2) those whose crowns shaded medium sized trees, 3) those which the bark insects began to inhabit and those trees which were already infected by the insects and were drying up, 4) those which contained bodies of tree-destroying mushrooms and 5) those which were mechanically damaged, those with two crowns, with bent stems, etc.

Card : 2/2

TEL'MANOV, N. I.

*Study of performance  
of grain cooling machines.  
Investigation of the  
reader's performance*

TEL'MANOV, N. I., Cand Tech Sci -- (diss) "Investigation of the  
reader's performance" Chelyabinsk, 1957. 24 pp with graphs.  
(Min Agr, Chelyab Inst of Mechanization and Electrification of Agr),  
110 copies. The author is not indicated on the cover. (KL,  
~~258~~ 9-58, 120)

- 99 -

L 02270-67 EWT(1)/EWT(m)/EWP(j) IJP(c) WW/GG/RM

ACC NR: AP6025257

SOURCE CODE: UR/0057/66/036/007/1285/1286

47  
46  
B

AUTHOR: Tel'minov, M.M.; Gasilov, A.L.

ORG: none

TITLE: Shift of the electron paramagnetic resonance frequency in weak magnetic fields

SOURCE: Zhurnal tekhnicheskoy fiziki, v. 36, no. 7, 1285-1286

TOPIC TAGS: EPR, weak magnetic field, frequency shift, free radical

ABSTRACT: The authors have experimentally investigated the shift in the electron paramagnetic resonance (EPR) frequency  $f$  due to the finite emplitude of the oscillating magnetic field, which, according to the theory of F.Bloch and A.Siegert (Phys. Rev., 57, 522, 1940), is given by  $\delta f/f = h^2/4 + h^4/64$ , where  $h$  is the ratio of the strength of the oscillating field to that of the static field. The measurements were made in static fields ranging from 0.5 to 8 Oe with oscillating fields of different amplitudes, using a frequency comparator based on EPR phenomena in free radicals. The strength of the static field was monitored by simultaneous measurement of the proton resonance frequency. The shifts were easily detectable and were in excellent agreement with the formula given above. The shift must be taken into account in the interpretation of EPR measurements in weak magnetic fields. The "apparent" change of the electron gyromagnetic ratio in weak fields noted by A.V.Kubarev and Yu.A.Mezenev (PTE, No.6, 52, 1960) is explained by the shift under discussion. EPR heads employing

Card 1/2

L 02270-67

ACC NR: AP6025257

carbazyl are recommended for use in weak fields because of their stability, sharp resonance, and large absorption. The absorption of the carbazyl heads exceeds that of the usually employed diphenyl pioryl hydrazyl heads by a factor of 10 to 15. Orig. art. has: 3 formulas and 1 figure.

SUB CODE: 20

SUBM DATE: 05Jul65

ORIG. REF. 002 OTH REF: 001

Card 2/2 egh

TEL'MINOVA, Ye.P.

Reclamation and cultivation of Solonetz soils. Zemledelie 7 no.9:  
64-67 S '59. (MIRA 12:11)  
(Solonetz soils)

IVAN, I.M.; SOLOMON, I.; TELNICEANU, A.; GHELASE, Maria; ROMAN, V.

Dynamics of antipoliomyelic sero-neutralizing antibodies in children vaccinated with attenuated live virus vaccine. Stud. cercet. inframicrobiol. 12 no.4:467-473 '61.

1. Comunicare prezentala la Institutul de inframicrobiologie al Academiei R.P.R. ~~inframicrobiologie~~  
(POLIOMYELITIS immunology)

IVAN, I.M., prof.; TELNICEANU, A., dr.; MAGUREANU, E., dr.; TOMA, R., dr.; BORDEIANU, P., dr.; CALOMFIRESCU, AL., dr.; BARBU, A., dr.; MANOLESCU, Maria, chim.

Epidemiological aspects of inframicrobial epidemic hepatitis in the city of Bucharest in 1960. Med. inter., Bucur 13 no.5: 703-710 My '61.

1. Catedra de epidemiologie, I.M.F., Bucuresti (for Ivan, Telniceanu, Magureanu, Tomă). 2. Sanepidul central al Capitalei (for Bordeianu, Calomfirescu, Barbu, Manolescu).  
(HEPATITIS, INFECTIOUS statistics)

RUMANIA

A. TELNICEANU, I. SOLOMON, C. BUSUIOC, E. TOMI, M. CONSTANTINESCU and  
M. POPESCU, Public Health Office of Capital City (Sanepidul capitalei),  
and Department of Epidemiology of College of Medicine and Pharmacy  
(Catedra de epidemiologie a Institutul de medicina si farmacie,)  
Bucharest.

"Seroneutralizing Poliomyelitis Antibodies in Infants Aged up to 1  
Year in Bucharest City After Wide Use of Attenuated Live Vaccine."

Bucharest, Studii si cercetari de inframicrobiologie, Vol 14, No 3,  
1963; pp 341-348.

Abstract [English summary modified]: There was essentially no difference  
in intensity and type of polio immunity among 66 infants which had never  
been vaccinated and 68 which had received Salk killed vaccine, 1 or 2  
doses; but all of whom had been living with other family members who  
received Soviet imported live-attenuated vaccine during mass campaign  
in Bucharest in Spring 1961 (including all persons aged 1-30 years.)  
Three tables; 4 Rumanian and 8 Western references.

1/1

SPINU, I.; TEHNICEANU, A.; SOLOMON, L.; MORTOGEA, Gita; BUSUIOC, Carmen;  
VASTILIU, Cristina; DUVAN, Xenia; POPESCU, P.; CAZACU, E.; TOMA, R.

Epidemiological considerations on occupational ornithosic infections.  
Stud. cercet. inframicrobiol. 15 no.1:15-20 '64.

MIHALCU, Florica, dr.; TEWNICEANU, A., dr.; CAZACU, E., dr.; BUSUIOC, Carmen, dr.; CIURES, Zenovia, dr.; RESTEANU, Cecilia, dr.

Epidemic of streptococcal pharyngitis of alimentary origin.  
Microbiologia (Bucur) 9 no.6:531-538 N-D '64

1. Lucrare efectuata in Institutul de microbiologie, parazitologie si epidemiologie "Dr. I. Cantacuzino" si Inspectia de stat pentru igiena si protectia muncii, Bucuresti.

IVAN, I.M., prof.; BORDEIANU, Vera, dr.; GAICULESCU, Stefania, dr.;  
POPESCU, Er., dr.; ZAHARIA, C., dr.; BORDEIANU, P., dr.;  
PETRESCU, R., dr.; TELNICEANU, A., dr.

Epidemiological considerations on acute enterocolitis in a district of the city of Bucharest. *Pediatria (Bucur)* 14 no.1:45-54 Ja-F'65.

1. Lucrare efectuata in Inspectia de stat pentru igiena si protectia muncii a Raionului "Lenin" (VI) si la Catedra de epidemiologie, Institutul medical-farmaceutic, Bucuresti.

TEL'NIKHIN, V.

Shortcomings in material for technological innovations. Sots.  
trud no.3;53-57 Mr '58. (MIRA 13:3)  
(Incentives in industry) (Technological innovations)

TRL'NIKHIN, V.F.

[Material encouragement of inventive activity and improvements in Soviet industry; author's report on a dissertation offered for the degree of candidate of economic sciences] Material'nos stimulirovanie izobretatel'stva i materializatsii v promyshlennosti SSSR; avtoreferat dissertatsii na soiskanie uchenoi stepeni kandidata ekonomicheskikh nauk. Leningrad, Leningr.gos.univ. im. A.A.Zhdanova, 1957. 16 p.  
(Inventions) (Incentives in industry)

(MIRA 11:5)

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

TEL'NIKHIN, V.E.

Economical aspects of rewards for inventions. Izobr. v SSSR 2 no. 6:  
23-25 Je '57. (Inventions) (MIRA 10:8)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

TEL'NOV, A.F.

Using twin sighting in measuring horizontal angles. Geod. i kart.  
no.7:20-22 J1 '63. (MIRA 16:8)  
(Theodolites)

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

TEL'NOV, A.M., inzh.; CHERVOCHKIN, O.A., inzh.; BETIKOV, I.Ye., inzh.

Heat insulating blocks of agloporites. Stroi.mat. 8 no.1:27-28  
(MIRA 15:5)

Ja '62.

(Insulating materials)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

VASIL'YEV, B.F.; KOSTYUKOVSKIY, M.G.; MINTS, Sh.I.; TEL'NOV, B.G.

Use of precast reinforced concrete beams and trussed girders in  
roof constructions of machine-tractor station repair shops.  
Stroi.prom. 32 no.4:14-18 Ap '54. (MLRA 7:5)

1. Giprotis (for Mints). 2. Stroitel'stvo Mytishchinskoy MTS (for  
Tel'nov). (Girders) (Precast concrete construction)

ARTEM'YEV, Yu.N., kand. tekhn. nauk; GAL'PERIN, A.S., kand. tekhn. nauk; TEL'POV, A.S., inzh.; DYADYUSHKO, V.P., inzh.; SELIVANOV, A.I., red.; TEPTELEV, P.M., spets.red.; KUL'CHITSKIY, R.N., spets. red.; ARKHANGEL'SKIY, B.Ye., spets. red.; GINDINA, I.I., red.

[Specifications and instructions on checking for wear of the parts and couplings of T-40 tractors in repair] Tekhnicheskie usloviia i ukazaniia po defektovke detalei i sopriazhenii pri remonte traktorov T-40. Moskva, Biuro tekhn. informatsii GOSNITI, 1964. 169 p. (MIRA 18:5)

1. Perovo. Gosudarstvennyy vsesoyuznyy nauchno-issledovatel'skiy tekhnologicheskiy institut remonta i ekspluatatsii mashinno-traktornogo parka. 2. Laboratoriya issledovaniya iznosov traktorov Gosudarstvennogo vsesoyuznogo nauchno-issledovatel'skogo tekhnologicheskogo instituta remonta i ekspluatatsii mashinno-traktornogo parka, Perovo (for Artem'yev, Gal'perin, Dyadyushko). 3. Vladimirovskiy traktornyiy zavod (for Teptelev, Kul'chitskiy). 4. Lipetskiy traktornyiy zavod (for Arkhangel'skiy).

TEL'NOV, B.K., inzh.

Air blasting of silicate melts in producing artificial mineral  
fibers. Stroi. mat. 5 no.6:10-13 Je '59. (MIRA 12:8)  
(Silicates) (Mineral wool) (Glass fibers)

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

TEL'NOV, B. K., Cand Tech Sci -- (ciiss) "Gas-jet method of production of mineral fibers for the production of heat- and sound-insulating materials." Moscow, 1960. 16 pp; (Academy of Construction and Architecture USSR, All-Union Scientific Research Inst of New Building Materials); 150 copies; price not given; (KL, 26-60, 138)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

MARGULIS, V.S., inzh.; BELONOZHKO, I.F., inzh.; TEL'NOV, B.K., kand.  
tekhn. nauk.

Using jet action counterflow-type mills for the grinding of  
iron ores. Gor. zhur. no. 12:63-66 D '65. (MIRA 18:12)

1. Nauchno-issledovatel'skiy i proyektnyy institut po obogashcheniyu i aglomeratsii rud chernykh metallov, Krivoy Rog (for Margulis, Belonozhko). 2. Vsesoyuznyy nauchno-issledovatel'skiy institut novykh stroitel'nykh materialov Akademii stroitel'stva i arkhitektury SSSR (for Tel'nov).

TEL'NOV, B.K., inzh., red.; STRASHNYKH, V.P., red. izd-va; BOROVNEV, N.K.,  
tekhn. red.

[Instructions on the assembly and maintenance of roofs made of corrugated asbestos cement sheets with the usual profile] Instruktsiya  
po montazhu i eksploatatsii kroveli iz volnistykh asbestotsement-  
nykh listov obyknovenного profilia SN 162-61. Utverzhдena 24 marta  
1961 g. Izd. ofitsial'noe. Moskva, Gos. izd-vo lit-ry po stroit.,  
arkhit. i stroit. materialam, 1961. 30 p. (MIRA 14:10)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet po delam  
stroitel'stva.  
(Roofing, Asbestos cement)

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

TEL'NOV, B.K.; KUZAKOV, V.D.

New All-Union State Standards. Stek. i ker. 21 no.1:46 Ja '64.  
(MIRA 17:8)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

TEL'NOV, G. M. and E. I. NATANZON.

Elektronagrev stal'nykh zagotovok metodom soprotivlenia. (Vestn. Mas.,  
1949, no. 6, p. 24-31)

(Electric heating of steel bars by resistance method.)

DLC: TMh.Vh

SO: Manufacturing and Mechanical Engineering in the Soviet Union,  
Library of Congress, 1953.

TEL'NOV, G. M.

Natanzon, E. I., jt. au.

Induction heating by means of resistance. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1951. 185 p. (54-22440)

TN686.T4

MATZON, YE. I., TEL'IKH, G. M.

Forging.

Electro-upsetting as a means of saving metal and reducing labor expenditure.  
Vest. mash. 31, no. 12, 1951.

9. Monthly List of Russian Accessions, Library of Congress, September 1953? Uncr.

TEL'NOV, G. M., NATANZON, YE. I. ENG.

Tempering

Surface tempering of push-rod adjuster bolts of automobile engines during heating with electric high frequency currents. Vest. mash. 32, No. 5, 1952.

9. Monthly List of Russian Accessions, Library of Congress, October 1953<sup>1/2</sup>, Uncl.

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

USSR/Engineering - Automobile construction

Card 1/1 Pub. 128 - 12/25

Authors : Natanzon, Ye. I., Engineer, and Tel'nov, G. M.

Title : Introduction of electro-heating into the auto manufacturing technology

Periodical : Vest. mash. 35/4, 52-55, Apr 1955

Abstract : Basic technical-economical data are given of the old and new technological processes used in the manufacture of valve tappets and tappet adjusting devices for the M-12-51, M-12-52 and MM-12 engines. It is shown that the introduction of electro-heating into the production of these parts will reduce the cost of their manufacture by 10% and increase the degree of automation.

Institution : The Gorkiy Automobile Plant im. Molotov

Submitted : .....

AID P - 4492

Subject : USSR/Engineering

Card 1/1 Pub. 128 - 19/29

Authors : Natanzon, Ye. I., Engineer, and G. M. Tel'nov (Gor'kiy Automobil Plant im. Molotov).

Title : Lowering of power requirements and of electric energy consumption in hardening with high frequency current heating.

Periodical : Vest. mash., #4, p. 70-74, Ap 1956

Abstract : Surface hardening by electric high frequency current has been found especially successful in the manufacture of small machine parts. Two methods are described as applied in the Gor'kiy Automobil Plant: 1) surface hardening by continuous-successive surface heating, 2) surface hardening with simultaneous heating and cooling. Diagrams.

Institution : None

Submitted : No date

NATANZON, Ye.I.; TEL'NOV, G.M.

Static and fatigue strength of motortruck semiaxles. Avt.prom.  
no.2:36-38 7 '60. (MIRA 13:5)

1. Gor'kovskiy avtozavod.  
(Motortrucks--Axles)

NATANZON, Ye.I.; TEL'NOV, G.M.

Hard facing of automobile engine valve tappets by means of high-frequency currents. Avtom.svar. 14 no.9:74-78 S '61.

(MIRA 14:8)

1. Gor'kovskiy avtomobil'nyy zavod.  
(Hard facing) (Induction heating)

NATANZON, Ye.I.; TEL'KOV, G.M.; LANKIN, P.A., kand. tekhn. nauk,  
retsenzent; MAKOVSKIY, G.M., inzh., red.

[Electric induction heating and electric upsetting] Elektro-  
nagrev metodom sprotivleniya i elektrovysadka. Izd.2., dop.  
i perer. Moskva, Mashinostroenie, 1964. 132 p.  
(MIRA 17:12)

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

TEL'NOV, N. F.

"Investigation of the anti-friction properties of aluminum-steel  
pseudoalloy as a material for repairing the bearings of tractor  
engines." Min Higher Education. Moscow Inst of the  
Mechanization and Electrification of Agriculture imeni V. M.  
Molotov. Moscow, 1956. (Dissertation for the Degree of  
Candidate in Technical Science).

SO: Knizhnaya letopis', No. 16, 1956

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

TEL'INOV, N.F.; KOGOROTOV, S.V., red.

[Repair of oil pumps and filters of tractor and combine engines] Remont maslianykh nasosov i fil'trov traktor-nykh i kombainovykh dvigatelei. Moskva, Izd-vo "Kolcs," 1964. 132 p.

USSR/Electronics - Telecasts

Card 1/1 Pub. 89 - 21/31

Authors : Tel'nov, N.

Title : Telecast recording

Periodical : Radio 11, 37-39, Nov 1954

Abstract : The first experimental telecast recordings were made by the Moscow Research Cinephoto-Institute in 1939. In 1954, telecast recordings in the USSR were still in an experimental stage. Two types of tele-recording are discussed in the article: 1) telecine-film recording, and 2) telemagnetic tape. Diagrams are presented of each of these recording systems and the apparatus used in these systems are described. Color-telecast reception and transmission experiments were also conducted. The telecine-film recording and the magnetic tape recording systems are compared and, in view of the expressed advantages of the latter system, the author believes it will actually be introduced into practice. Diagrams.

Institution : ...

Submitted : ...

SOV/112-58-2-3202

Translation from: Referativnyy zhurnal, Elektrotehnika, 1958, Nr 2, p 220 (USSR)

AUTHOR: Tager, P. G., Tel'nov, N. I., Khinchuk, T. A., and Blazhenkov, V. A.

TITLE: An Outfit for Recording TV Programs on Movie Film

(Ustanovka dlya zapisi televizionnykh programm na kinoplenku)

PERIODICAL: Tekhnika kino i televideeniya, 1957, Nr 3, pp 34-40

ABSTRACT: The difficulty in recording TV programs from a kinescope screen on movie film is indicated, as well as possible ways of solving the problem.

Apparatus is described that was developed and built at NIKFI. The apparatus is based on an afterglow picture tube which, while the obturator is open, allows photographing both fields: the one being scanned on the kinescope screen, and the preceding one, still retained because of the afterglow effect. To secure equal exposure for all picture elements, special brightening pulses of a complicated shape are fed to the kinescope in addition to the video signals.

Illustrations: 7. Bibliography: 4 items.

Ya. I. E.

Card 1/1

TEL'NOV. N.I., kand.tekhn.nauk

Magnetic recording of moving images. Khim.nauk i prom. <sup>3</sup>  
no.5:648-654 '58. (MIRA 11:11)  
(Magnetic recorders and recording)

ERGASHEV, K.A.; TEL'NOV, P.I.

Tectonics of the southwestern part of the Kagan structural group.  
Uzb.geol.zhur. 6 no.1:72-76 '62. (MIRA 15:4)

1. GIDROINGEO AN UzSSR.  
(Uzbekistan--Geology, Structural)

TEL'NOV, S.V.

TEL'NOV, S.V., kandidat tekhnicheskikh nauk

Contact relay diagram of pulse counts. Nauch.rab. VUGI no.11:92-  
98 '54.  
(Remote control) (Counting devices)

1b-57-10-14930

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 10,  
p 266 (USSR)

AUTHORS: Tel'nov, S. V., Karibayev, A. G.

TITLE: The Block System of Mining by STsB (Signal, Centralization, and Blocking System) (Blochnaya sistema shakhtoy STSB)

PERIODICAL: V sb: Avtomatizatsiya v ugol'n. prom-sti. Moscow, .  
Ugletekhnizdat, 1956, pp 487-501

ABSTRACT: The system of STsB, now used in mines for subsurface transport, demands considerable time for its installation and great capital expense for special electrical equipment, planning, and repair. These drawbacks to STsB may be eliminated by using a standard block relay system. A brief description is given of five standard block relay arrangements with the STsB system for subsurface mine transport: a block of automatic signals effecting controlled movements on a one-way run between

Card 1/2

The Block System of Mining by STsB (Cont.)

15-57-10-14930

two sidings (with and without a branch on the run); a block of automatic signal for regulating movement from the latter at ore-hauling sidings on the one-way section; a block of automatic signals regulating the movement along a one-way run between the last siding and the adjoining two or three one-way sections; a block of centrally controlled dispatching directions, by a signal, for movement along a definite route (route-signal block); a block in which traffic directing signals may be operated from a central point. The block systems are practicable in normal use where there is no danger from explosions. Different block combinations in the system of STsB may be worked out to regulate all the movement on subsurface rail transport in the mine. The authors also discuss the questions associated with arrangement, planning, and repair of the system of STsB during use of the relay blocks as described.

R. I. Teder  
Card 2/2

TEL'NOV, S.V.; KARIBAYEV, A.G.

Mine railroad block signaling system. Ugol' 32 no.9:27-31 S '57.  
(MIRA 10:10)  
(Mine railroads) (Railroads--Signaling--Block system)

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

TEL'NOV, B.V., Xand. tekhn. nauch.

Improving the system of tractive power supply to mines. Nauch.  
soob. IOD 26:110-116 '65. (MIRA 10:9)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

TEL'NOV, V.

Saving working time is an economic law of communism. Sots. trud 7 no.12:  
39-46 '63. (MIRA 16:2)  
(Industrial management)

S/703/62/000/000/032/044  
B102/B234

AUTHORS: Denisov, P. P., Kosareva, K. V., Tel'nov, Yu. Ya.,  
Cherenkov, F. A.

TITLE: Angular distribution and energy spectrum of the C<sup>11</sup> nuclei of  
the C<sup>12</sup>( $\gamma$ ,n)C<sup>11</sup> reaction

SOURCE: Yadernyye reaktsii pri malykh i srednikh energiyakh; trudy  
Vtoroy Vsesoyuznoy konferentsii, iyul' 1960 g. Ed. by  
A. S. Davydov and others. Moscow, Izd-vo AN SSSR, 1962, 474-475

TEXT: In view of the lack of data on the C<sup>12</sup> photonuclear reaction at  
gamma energies above 25 Mev the authors measured the energy and angular  
distributions of the C<sub>6</sub><sup>11</sup> recoil nuclei of such reactions induced by gamma  
with E<sub>gamma</sub><sup>max</sup> = 260 Mev. The recoil nuclei were recorded with the help of a  
method described in PTE, 3, 34, 1957 which is free from the disadvantages  
of the usual methods operating with cloud or bubble chambers or counters.  
The measurements were made with the FIAN synchrotron bremsstrahlung and a  
polystyrene film as target, collecting and control films used for recording.  
Card 1/2

A. N. S. 52/000/000/032-14

Block 8234

Angular distribution and energy ...

and or determining the background. The recoil nuclei were identified according to their  $\beta$ -min  $\beta^+$  activity. Measurements were made for self-absorption and decay. The  $C^{11}$  yield was measured at the angles 30, 45, 60, 90, 120, 135 and 150° to the  $\tau$ -ray at air pressures of 0, 1.7, 3.4, 4.7, and 4.5 atm Hg, which was in correspondence with energies above 0.05, 0.75, 1.5, 2.25 and 3.0 Mev. The angular distribution of  $C^{11}$  was calculated with different parameters of the form  $A + B \sin \theta + C \sin^2 \theta$ , a distribution satisfied both by quasideuteron and direct-nucleon effects. Agreement is best when the  $C^{11}$  nucleus is assumed to have a single value  $E = 2$ . The  $C^{11}$  yield at  $E > 1.7$  Mev has only  $\sim 1\%$  of the total  $C^{11}$  yield, that with  $E > 1.7$  Mev amounts to only  $5 \pm 2\%$ . This disagrees with the calculations made by Barber et al. (Phys. Rev. 98, 73, 1951) but is, in its conclusions, in close agreement with results obtained by Bogolyubov et al. (ZhETF, 31, 5(7), 405, 1956). There is 1 figure.

ASSOCIATION Institut fiziki im. P. N. Lebedeva AN SSSR (Institute of Physics imeni P. N. Lebedeva AI SSSR)  
Card 2/1

TEL'NOV, Yu.Ya.; YAKUSHIN, V.V.

Optimum current supply conditions for PEU-33 and PEU-36 photo-multipliers. Prib. i tekhn. eksp. 7 no.3;136-138 My-Je '62.

1. Fizicheskiy institut AN SSSR.  
(Photoelectric multipliers)

(MIRA 16:7)

YAKUSHIN, V.V.; TEL'NOV, Yu.Ya.

Low counting-rate meter. Prib. i tekhn. eksp. 8 no.4:73-76  
Jl-Ag '63.  
(MIRA 16:12)

1. Fizicheskiy institut AN SSSR.

YAKUSHIN, V.V.; TEL'NOV, Yu.Ya.

Selecting the optimum feeding conditions for FEU-33 and FEU-  
36 photomultipliers. Prib. i tekhn. eksp. 8 no.4:120-122 Jl.-Ag '63.  
(MIRA 16:12)

1. Fizicheskiy institut AN SSSR.

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

SUBMITTED: 24 Jun 84

AID PRESS: 3120

ENCL: 00

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

KULIKOV, O.F.; TEL'NOV, Yu.Ya.; FILIPPOV, Ye.I.; YAKIMENKO, M.N.

Compton effect on moving electrons. Zhur. eksp. i teor. fiz.  
47 no.4:1591-1594 O '64. (MIRA 18:1)

1. Moskovskiy gosudarstvennyy universitet i Fizicheskiy institut  
imeni P.N. Lebedeva AN SSSR.

TEL'NOVA, B.K.; MUNTS, V.O.

Standardizing plastic building materials. Standartizatsia 25  
no.10:25-28 O '61. (MIRA 14:9)  
(Plastics—Standards)  
(Building materials--Standards)

TEL'NOVA, R.P., dotsent

Contraceptive properties of certain polyphenols. Akush.i gin. 35  
no.6:11-13 N-D '59. (MIRA 13:4)

1. Iz kafedry akusherstva i ginekologii No.1 Kiyevskogo meditsinskogo instituta.

(PHENOLS)  
(CONTRACEPTIVES)

KULIK, M.P., dotsnet; TEL'NOVA, R.P.

Clinical evaluation of the Kafka and "KR" diaphragms. Akush.i gin.  
35 no.6:30-31 N-D '59. (MIRA 13:4)

1. Iz zhenskoy konsul'tatsii (glavnnyy vrach N.A. Shevchuk) Stalin-  
skogo rayona Kiyeva.  
(CONTRACEPTIVES)

TEL'NOVA, R.P.; NEKHAYEV, V.M. [Nekhaiiev, V.M.]

Spermicidal characteristics of nonvolatile phytoncide fractions  
of some plants. Ped., akush. i gin. 22 no.6:55-58 '60.  
(MIRA 14:10)

1. Kafedra akusherstva i ginekologii No.1 (zaveduyushchiy - prof.  
M.S. Baksheyev [Bakshieiev, M.S.]) i kafedra biologii (zaveduyushchiy -  
prof. K.Yu. Kostryukova) Kiyevskogo ordena Trudovogo Krasnogo  
Znameni meditsinskogo instituta im. akademika Bogomol'tsa (direktor-  
dotsent V.D. Bratus').

(PHYTONCIDES) (SPERMATOZOA)

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

ARKHANGEL'SKAYA, M.P., kandidat tekhnicheskikh nauk; TEL'NOVA, V.M.,  
inzhener.

Uniform methods of testing threads and yarns. Tekst.prom.14 no.1:51-53  
Ja '54. (MLRA 7:2)  
(Thread) (Yarn)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0

NOVIKOV, N.A.; TEL'NOVA, V.M.; GENTS, I.P., FEDOROVA, Ye.F.

Boxes for the transportation of artificial silk . Standartizatsiya 25  
no.2:48-49 F '61. (MIRA 14:3)  
(Boxes—Standards)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210019-0"

TEL'NOVA, V.M.

Methods for testing ready silk pieces. Standartizatsiia 27  
no. 2:34-35 F '63.  
(MIRA 16:4)

(Silk—Standards)

TEL'NOVA, V.M.

Violation of state standards at the Bendery Silk Combine.  
Standartizatsia 27 no. 5:54-55 My '63. (MIRA 16:6)

(Bendery—Silk manufacture—Standards)

TEL'NOVA, V.M.

International exhibition of "Chemistry in the industry, construction,  
and agriculture." Tekst.prom. 25 no. il. 97-98 N 165.

(MIRA 18:12)

USSR / Human and Animal Physiology (Normal and Pathological). Physiology of the Skeleton T

Abs Jour: Ref Zhur-Biologiya, No 21, 1958, 97808

Author : Palatnik, S. K., Tel'nova, Ye. P.

Inst : Uzbek Scientific Research Institute of Orthopedics,  
Traumatology, and Prostheses

Title : Dynamics of Subordinative Chronaxis of the Muscles  
in Bone Tissue Regeneration

Orig Pub: Tr. Uzb. n.-i. in-ta ortopedii, travmatol. i protez.,  
1955, 6, 69-81

Abstract: Under ether narcosis, the tibia was fractured and  
a plaster cast reaching to the lower third of the  
femur was applied, fixing the calf in a position of  
flexion for 9 to 20 days. Before cast application

Card 1/3

55

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210019-0" T  
gical). Physiology of the Skeleton

Abs Jour: Ref Zhur-Biologiya, No 21, 1958, 97808

to healthy extremity was extremely clear. The size  
of R and C remained lower than normal during bone  
regeneration. Deviations of R and C from normal  
were observed in reference to the muscles of ex-  
tremity to which a plaster cast was applied, as  
well as to the muscles of the opposite extremity.  
The greatest decrease of R and C was noted in the  
period of development of periostal reaction and  
formation of fibrous callous. In the period of  
regeneration of osseous tissue, when rebuilding  
of fibrous callous into osseous took place, the C  
of muscles, being lower than normal, had a tendency  
to approach it. --F. I. Mumladze

Card 3/3

56

GAL'BINSHTEYN, Z.N., inzh.; IL'INA, N.F., inzh.; NAUMOVA, M.V., inzh.;  
FILINA, T.A., inzh.; KHODOS, M.M., inzh.; GOL'DMAN, Zh.I.;  
PATALAKH, V.G.; SNESAREV, M.M.; VUL'FSON, Ye.S., inzh.;  
KONSTANTINOVA, L.A., inzh.; SKOBELEVA, A.M., inzh.; TEL'NOVA,  
Ye.V., inzh., KHEYFETS, L.S., inzh.; SELENEVICH, A.S.;  
NEDOVESENKO, M.V.; VOLKOVA, A.Ye.; NOVITSKIY, L.M., nauchn.red.;  
NEFEDOV, S.F., red.; ROSTOTSKIY, V.K., red.; GORDEYEV, P.A., red.  
izd-va; YUDINA, L.A., red.izd-va; VDOVENKO, Z.I., red.izd-va;  
GOL'BERG, T.M., tekhn.red.; KOROLEKOVA, N.I., tekhn. red.

[Album of new construction equipment recommended for adoption]  
Al'bom novoi stroitel'noi tekhniki, rekomenduemoi k vnedreniu.  
Moskva, Gosstroizdat, 1963. No.1. [Industrial construction] Pro-  
myshlennoe stroitel'stv. 116 p. No.3. [Construction for transporta-  
tion purposes] Transportnoe stroitel'stvo. 91 p. No.4. [Rural  
construction] Sel'skoe stroitel'stvo. 71 p. No.5. [Building  
materials, products, and elements] Stroitel'nye materialy, izde-  
liia i konstruktsii. 41 p. No.8. [Construction and road machinery  
and equipment] Stroitel'nye i dorozhnye mashiny i oborudovanie.  
(MIRA 16:8)  
104 p.

(Building materials) (Road machinery)  
(Construction equipment)

RABINOVICH, I.B.; TEL'NOY, V.I.; NIKOLAYEV, P.N.; RAZUVAYEV, G.A.; Prinimala  
uchastiye: KIRILLOVA, A.S.

Thermochemistry of the interaction between hexaethylstannane and  
benzoyl peroxide. Dokl.AN SSSR 138 no.4:852-855 Je '61.  
(MIRA 14:5)

1. Institut khimii pri Gor'kovskom gosudarstvennom universitete imeni  
N.I.Lobachevskogo. 2. Chlen-korrespondent AN SSSR (for Razuvayev).  
(Tin compounds) (Benzoyl peroxide)

RABINOVICH, I.B.; TEL'NOY, V.I.; KIRILLOVA, A.S.; RAZUVAYEV, G.A.

Heats of decomposition and formation of dicyclohexyl- and  
dimethylperoxydicarbonate. Dokl. AN SSSR 143 no.1:133-  
136 Mr '62. (MIRA 15:2)

1. Nauchno-issledovatel'skiy institut khimii pri Gor'kovskom  
gosudarstvennom universitete im. N.I.Lobachevskogo 2. Chlen-  
korrespondent AN SSSR (for Razuvayev).  
(Peroxydicarbonic acid)

S/020/65/149/002/018/C28  
B117/B166

AUTHORS: Rabinovich, I. B., Tel'noy, V. I., Karyakin, N. V.,  
Razuvayev, G. A., Corresponding Member USSR

TITLE: Thermochemistry of tetraethyl germanium and hexaethyl  
germanium

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 149, no. 2, 1963, 324-326

TEXT: The combustion and formation enthalpies of  $\text{Et}_4\text{Ge}$  and  $\text{Et}_6\text{Ge}_2$  were determined, and the bond energies of the Ge-C and Ge-Ge bonds in these compounds were calculated.  $\text{Et}_4\text{Ge}$  was synthesized according to a method described previously (K. A. Kocheshkov, Sinteticheskiye metody v oblasti metallorganicheskikh soyedineniy (Methods of synthesis in the field of organometallic compounds), Izd. AN SSSR, no. 5, 1947, p. 11), and was thoroughly purified.  $\text{Et}_6\text{Ge}_2$  was obtained by reaction of  $\text{Et}_5\text{GeBr}$  with metallic potassium in dry, pure nitrogen atmosphere. The combustion enthalpy was determined by a method described previously (S. M. Skuratov, A. A. Strepikheyev, et al., Uch. zap. Moskovsk. univ., 164, 73 (1953)).  
Card 1/3

S/020/63/149/002/018/028  
B117/B186

Thermochemistry of tetraethyl germanium ...

The following averaged values were found:

$$-\Delta H^{\text{comb.}} \left[ (\text{C}_2\text{H}_5)_4\text{Ge} \right] = 1515.6 \pm 1.5 \text{ kcal/mole}$$

$$-\Delta H^{\text{comb.}} \left[ (\text{C}_2\text{H}_5)_3\text{Ge} - \text{Ge}(\text{C}_2\text{H}_5)_3 \right] = 2321.0 \pm 2.0 \text{ kcal/mole.}$$

Standard enthalpies of formation, evaporation and atomization for the liquid and gaseous phase of the compounds studied were calculated from the combustion and evaporation enthalpies of the liquids studied and from data published on the formation enthalpy of the combustion products:

Substance	$-\Delta H^{\text{form.}}$ liqu..	$\Delta H^{\text{evap.}}$	$-\Delta H^{\text{form.}}$ $\text{G.}$	$\Delta H^{\text{atom.}}$
$(\text{C}_2\text{H}_5)_4\text{Ge}$	$50.5 \pm 1.5$	$10.1 \pm 0.3$	$40.2 \pm 2.0$	$2542 \pm 8$
$(\text{C}_2\text{H}_5)_3\text{Ge}-\text{Ge}(\text{C}_2\text{H}_5)_3$	$92.9 \pm 2.0$	$14.9 \pm 0.5$	$78.0 \pm 2.5$	$3675 \pm 10$

From the atomisation enthalpy and mean bond energies of the C-C and C-H bonds the averaged values of bond energy of Ge-C in  $\text{Et}_4\text{Ge}$  were found to

Card 2/3

Thermochemistry of tetraethyl germanium ...

S/020/63/149/002/018/028  
B117/B186

be  $58.9 \pm 1.5$  kcal (error 1 kcal), and of Ge-Ge in  $\text{Et}_6\text{Ge}_2$  to be  $62 \pm 5$  kcal (error 2 kcal). In this calculation, the mean bond energy of Ge-C was taken to be equal in both compounds. The values found for the mean bond energy of the Ge-C bond indicate that the primary state which limits the rate of the process should be considered the reaction  $\text{Ge}(\text{C}_2\text{H}_5)_4 \rightarrow \text{Ge}(\text{C}_2\text{H}_5)_3 + \text{C}_2\text{H}_5$  and not the decomposition to Ge and  $4\text{C}_2\text{H}_5$  as stated by R. L. Geddes and E. Mack (Jr., J. Am. Chem. Soc., 53, 4372 (1930)). There are 1 figure and 1 table.

ASSOCIATION: Institut khimii pri Gor'kovskom gosudarstvennom universitete im. N. I. Lobachevskogo  
(Institute of Chemistry at the Gor'kiy State University imeni N. I. Lobachevskiy)

SUBMITTED: November 15, 1962

Card 3/3

TEL'NOY, V.L.; RABINOVICH, I.B.; RAZUVAYEV, G.A.

Thermochemistry of tetraethylsilicon and hexaethyldisilicon.  
Dokl. AN SSSR 159 no.5:1106-1108 D '64 (MIRA 18:1)

1. Institut khimii pri Gor'kovskom gosudarstvennom universitete  
im. N.I. Lobachevskogo. 2. Chlen-korrespondent AN SSSR (for  
Razuvayev).

L 1646-66 EWT(m)/EPF(c)/EWP(j)/ETC(m) RPL WW/JW/RM

ACCESSION NR: AP5021427

UR/0076/65/039/008/2076/2077

541.11

25

32

B

AUTHOR: Tel'noy, V. I.; Kabinovich, I. B.

TITLE: Heats of formation of tetramethyl and tetraethyl compounds of elements in group IV of the periodic system

SOURCE: Zhurnal fizicheskoy khimii, v. 39, no. 8, 1965, 2076-2077

TOPIC TAGS: tin organic compound, silicon organic compound, germanium organic compound, lead organic compound, heat of formation, heat of atomization, bond energy

ABSTRACT: To find the heats of formation of the compounds  $(CH_3)_4El$  and  $(C_2H_5)_4El$ , where  $El = Si, Ge, Sn$ , and  $Pb$ , use was made of a graphical method of comparative calculation proposed by M. Kh. Karapet'yants (Zh. fiz. khimii, 30, 593, 1956) and based on the fact that

$$\Delta H_{II}^{\text{form}} = A + B\Delta H_I^{\text{form}},$$

where  $\Delta H_{II}^{\text{form}}$  and  $\Delta H_I^{\text{form}}$  are the heats of formation in series I and II of related compounds under identical conditions. This linear relation applies to the series

Card 1/3

L 1646-66 EWT(m)/EFF(c)/EWP(j)/ETC(m) RPL WH/JW/RM

ACCESSION NR: AP5021427

UR/0076/65/039/008/2076/2077

541.11

35

32

B

AUTHOR: Tel'noy, V. I.; Rabinovich, I. B.

TITLE: Heats of formation of tetramethyl and tetraethyl compounds of elements in group IV of the periodic system

SOURCE: Zhurnal fizicheskoy khimii, v. 39, no. 8, 1965, 2076-2077

TOPIC TAGS: tin organic compound, silicon organic compound, germanium organic compound, lead organic compound, heat of formation, heat of atomization, bond energy

ABSTRACT: To find the heats of formation of the compounds  $(\text{CH}_3)_4\text{El}$  and  $(\text{C}_2\text{H}_5)_4\text{El}$ , where El = Si, Ge, Sn, and Pb, use was made of a graphical method of comparative calculation proposed by M. Kh. Karapet'yants (Zh. fiz. khimii, 30, 593, 1956) and based on the fact that

$$\Delta H_{\text{II}}^{\text{form}} = A + B\Delta H_{\text{I}}^{\text{form}},$$

where  $\Delta H_{\text{II}}^{\text{form}}$  and  $\Delta H_{\text{I}}^{\text{form}}$  are the heats of formation in series I and II of related compounds under identical conditions. This linear relation applies to the series


Card 1/3

L 1616-66

ACCESSION NR: AP5021427

ENCLOSURE: 01

O



Card 3/3 Df

TEL'NOY, V.I.; RABINOVICH, I.B.

Heats of formation of tetraphenyl compounds of basic group IV of  
the periodic table and element - carbon bond energy. Zhur. fiz.  
khim. 39 no.9:2314-2316 S '65. (MIRA 18:10)

I. Gor'kovskiy gosudarstvennyy universitet imeni N.I.  
Lobachevskogo.